

[54] DIALING PAD FOR A CAR TELEPHONE SET

[75] Inventors: Hisao Fukushima; Junji Hirooka, both of Tokyo, Japan

[73] Assignee: Oki Electric Industry Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 159,851

[22] Filed: Jun. 16, 1980

[30] Foreign Application Priority Data

Dec. 28, 1979 [JP] Japan 54-055049

[51] Int. Cl. D14-03; D18-01

[52] U.S. Cl. D14/66; D18/7

[58] Field of Search D14/66, 59, 60, 53, D14/114, 115; D13/12, 32; D18/7; 364/706-710

[56] References Cited

U.S. PATENT DOCUMENTS

D. 225,858 1/1973 Kline D14/115

- D. 241,852 10/1976 Sugo D18/7
- D. 251,434 3/1979 DiBenedetto D18/7
- D. 254,195 2/1980 Genaro et al. D18/12
- D. 254,554 3/1980 Genaro et al. D18/12
- D. 258,958 4/1981 Fukushima et al. D14/66
- D. 260,889 9/1981 McLean D14/66

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Berger & Palmer

[57] CLAIM

The ornamental design for a dialing pad for a car telephone set, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a dialing pad for a car telephone set, showing my new design;
 FIG. 2 is a rear elevation thereof;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a left side elevation thereof;
 FIG. 6 is a right side elevation thereof;
 FIG. 7 is a front perspective view thereof; and
 FIG. 8 is a top perspective view of the dialing pad mounted on a vehicle dashboard, the broken lines are shown for purposes of illustration only.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8

