


[54] POLY-V PULLEY
[75] Inventor: Yukio Kanemitsu, Kobe, Japan
[73] Assignee: Goshi Kaisha Kanemitsu Doko
Yosetsu-sho, Japan
[**] Term: 14 Years
[21] Appl. No.: 272,805
[22] Filed: Jun. 11, 1981
[30] Foreign Application Priority Data
Mar. 23, 1981 [JP] Japan 56-12164
[51] Int. Cl. D12—05
[52] U.S. Cl. D8/360
[58] Field of Search D8/360; 29/159 R;
72/105
[56] References Cited
U.S. PATENT DOCUMENTS
3,368,376 2/1968 Previte 29/159 R X

3,457,751 7/1969 Lindeman 72/105
3,945,102 3/1976 Kotlar 29/159 R
3,953,995 5/1976 Haswell et al. 72/105
3,977,264 8/1976 Sproul 29/159 R
4,050,321 9/1977 Kraft 29/159 R X
4,080,704 3/1978 Blakesley 29/149 R
Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Steele, Gould & Fried
[57] CLAIM
The ornamental design for a poly-V pulley, as shown or described.

DESCRIPTION
FIG. 1 is a perspective view, from the side and bottom, of a poly-V pulley according to my new design.
FIG. 2 is a bottom plan view thereof;
FIG. 3 is a side elevation thereof, being the same from all directions;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a section view taken along the line 5—5 in FIG. 2.






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5

