

[54] BEAM BALANCED PUMPING UNIT
[75] Inventor: John J. Gostomski, Omaha, Nebr.
[73] Assignee: Hellstar Corporation, Wahoo, Nebr.
[**] Term: 14 Years
[21] Appl. No.: 165,870
[22] Filed: Jul. 7, 1980
[51] Int. Cl. D15-02
[52] U.S. Cl. D15/7
[58] Field of Search D15/7-9;
417/448-450, 8, 555 H; 74/41


[56] References Cited
U.S. PATENT DOCUMENTS
2,042,294 5/1936 Bloss 74/41
2,274,601 2/1942 Hartgering et al. 74/41
2,515,360 7/1950 Vail 74/41
2,523,444 9/1950 Moseley 74/41
2,915,919 12/1959 Mitchell et al. 74/41

3,405,605 10/1968 Ross 74/41 X
3,427,887 2/1969 Jones 74/41
3,621,723 11/1971 Miller 74/41
3,867,846 2/1975 Cambern 74/41

Primary Examiner—James R. Largent
Attorney, Agent, or Firm—Zarley, McKee, Thomte,
Voorhees & Sease

[57] CLAIM
The ornamental design for a beam balanced pumping unit, substantially as described as shown.

DESCRIPTION
FIG. 1 is a perspective view of a beam balanced pump-
ing unit showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view thereof; and
FIG. 7 is a bottom plan view thereof.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7