

[54] **VIDEO TAPE RECORDER**

[75] Inventors: **Masaharu Kobayashi, Ohmiya;**  
**Mitsuru Inaba, Yokohama, both of**  
**Japan**  
[73] Assignee: **Sony Corporation, Tokyo, Japan**  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **186,692**  
[22] Filed: **Sep. 12, 1980**

[30] **Foreign Application Priority Data**

Mar. 12, 1980 [JP] Japan ..... 55-9668

[51] Int. Cl. .... **D14-01; D14-03**  
[52] U.S. Cl. .... **D14/2; D14/77**  
[58] Field of Search ..... **D14/1, 2, 5, 6, 10,**  
**D14/77, 79, 84; 360/33, 85**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 238,882 2/1976 Ishii et al. .... D14/2  
D. 252,991 9/1979 Nishigaki ..... D14/2

**OTHER PUBLICATIONS**


*High Fidelity*, 11-78, p. 32, RCA VCT-400 VHS Re-  
corder.  
*High Fidelity*, 11-78, p. 81, Sony Betamax SL-8600.  
*Japanese National Technical Report*, vol. 25, #1, 2-79, p.  
132, "Programmable 4-Hour VHS VTR".  
*Primary Examiner*—Jane E. Corrigan  
*Attorney, Agent, or Firm*—Lewis H. Eslinger; Alvin  
Sinderbrand

[57] **CLAIM**


The ornamental design for a video tape recorder, as  
shown.

**DESCRIPTION**


FIG. 1 is a front, top and right side perspective view of  
a video tape recorder showing my new design;  
FIG. 2 is a left side elevational view;  
FIG. 3 is a right side elevational view;  
FIG. 4 is a top plan view;  
FIG. 5 is a front elevational view;  
FIG. 6 is a rear elevational view; and  
FIG. 7 is a bottom plan view.




*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*






FIG. 6

FIG. 7

