

[54] FACSIMILE TRANSCIVER

D. 227,600 7/1973 Noyes D16/30

[75] Inventors: Akira Esaki; Tsutomu Yamasaki; Keiji Sakata, all of Osaka, Japan

[73] Assignee: Sharp Corporation, Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 188,382

[22] Filed: Sep. 18, 1980

[30] Foreign Application Priority Data

Mar. 22, 1980 [JP] Japan 55/11429

[51] Int. Cl. D14-01; D14-02; D14-03

[52] U.S. Cl. D14/94

[58] Field of Search D14/1, 52, 94, 99; D16/30, 31; 358/286

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 205,806 9/1966 Plantholt D16/31
- D. 212,509 10/1968 Bravo D16/30
- D. 227,034 5/1973 Derby et al. D16/30 X

OTHER PUBLICATIONS

Mitsubishi Electric Advance, 9-79, p. 23, FIG. 1-MEL-FAS-510.

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert

[57] CLAIM

The ornamental design for a facsimile transceiver, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a facsimile transceiver showing our new design with the top paper support plate and front tray in extended position;


FIG. 2 is a top plan view with the support plate and tray in retracted position;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;


FIG. 5 is a right side elevational view thereof, the left side being the same; and

FIG. 6 is a bottom plan view thereof.







FIG_1




FIG_2




FIG_3



FIG_4



FIG_5



FIG_6