## United States Patent [19]

## Pittenger

& Holt, Ltd.

[11] Des. 267,926

[45] \*\* Feb. 15, 1983

| [54]                           | PULL          |  |  |  |  |  |
|--------------------------------|---------------|--|--|--|--|--|
| [75]                           | Inventor:     | Teresa R. B. Pittenger, Rockford, Ill. |  |  |  |  |
| [73]                           | Assignee:     | Amerock Corporation, Rockford, Ill.    |  |  |  |  |
| [**]                           | Term:         | 14 Years                               |  |  |  |  |
| [21]                           | Appl. No.:    | 219,818                                |  |  |  |  |
| [22]                           | Filed:        | Dec. 24, 1980                          |  |  |  |  |
|                                |               | D8—06                                  |  |  |  |  |
| [52]                           | U.S. Cl       | <b>D8/318; D8/317</b> ;                |  |  |  |  |
| [58]                           | Field of Soc  | D8/320 nrch D8/300, 313, 315-321,      |  |  |  |  |
| [20]                           | rieiu oi Sea  | D8/323; 16/110 R, 11 R, 104-107        |  |  |  |  |
| [56]                           |               | References Cited                       |  |  |  |  |
| U.S. PATENT DOCUMENTS          |               |  |  |  |  |  |
| D.                             | 246,418 11/1  | 977 Ridgway et al D8/319               |  |  |  |  |
|                                | •             | 1977 Ridgway et al D8/318              |  |  |  |  |
|                                | •             | 1977 Tegner D8/320                     |  |  |  |  |
| D                              | . 251,476 4/1 | 1979 Tegner D8/318                     |  |  |  |  |
| Primary Examiner—B. J. Bullock |               |  |  |  |  |  |

Attorney, Agent, or Firm-Leydig, Voit, Osann, Mayer

| 57] | <b>C</b> ]   | LA | $\mathbf{I}$ | M |
|-----|--------------|----|--------------|---|
|     | <del>-</del> |    |              |   |

The ornamental design for a pull, as shown and described.

## **DESCRIPTION**

FIG. 1 is a front elevational view of a pullincorporating my new design.

FIG. 2 is a bottom plan view thereof, the top being a mirror image;

FIG. 3 is an end elevational view thereof;

FIG. 4 is an enlarged sectional view taken along the line 4—4 in FIG. 2.

FIG. 5 is an enlarged sectional view taken along the line 5—5 in FIG. 2.

FIG. 6 is a front elevational view of a second embodiment of the design of FIG. 1;


FIG. 7 is a bottom plan view of FIG. 6, the top being a mirror image;

FIG. 8 is an end elevational view taken from the right of FIG. 7;

FIG. 9 is an enlarged sectional view taken along the line 9—9 in FIG. 7.


FIG. 10 is an enlarged sectional view taken along the line 10—10 in FIG. 7.






Feb. 15, 1983

-475.5.





Feb. 15, 1983

