

[54] **FACSIMILE TRANSCEIVER**

[75] Inventors: **Mikio Kosako; Katsuhiko Ishida**, both of Osaka, Japan

[73] Assignee: **Sharp Corporation**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **188,381**

[22] Filed: **Sep. 18, 1980**

[30] **Foreign Application Priority Data**

Mar. 22, 1980 [JP] Japan 55-11428

[51] Int. Cl. **D14—01; D14—02; D14—03**

[52] U.S. Cl. **D14/94; D16/31**

[58] Field of Search **D14/1, 52, 94, 99; D16/30, 31; 358/286**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 195,913 8/1963 Sundberg et al. D16/31
- D. 202,668 10/1965 Obergfell D16/31
- D. 206,102 10/1966 Reick et al. D16/31
- D. 254,072 1/1980 Saito D14/94
- D. 262,714 1/1982 Cathey et al. D16/30


Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Flehr, Hohbach, Test, Albritton & Herbert


[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown and described.


DESCRIPTION

FIG. 1 is a front, top and left side perspective view of a facsimile transceiver showing our new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a right side elevational view thereof; and
 FIG. 7 is a left side elevational view thereof.







FIG_1




FIG_2




FIG_3




FIG_4



FIG_5



FIG_6



FIG_7