

[54] TRAY FOR A CHAIR ARM
[76] Inventor: Stanley D. Boggs, 8210 Sam
Rayburn, #102, Austin, Tex. 78753

[**] Term: 14 Years

[21] Appl. No.: 165,198

[22] Filed: Jul. 1, 1980

[51] Int. Cl. D6—99

[52] U.S. Cl. D6/199; D6/157;
D6/188; D7/38

[58] Field of Search D6/188, 189, 190, 194,
D6/199; D7/38, 37; D3/30, 40, 67, 68, 69;
108/42, 44, 47

[56] References Cited

U.S. PATENT DOCUMENTS

D. 207,062	2/1967	Blair	D7/38
D. 220,774	5/1971	Goings	D7/38
D. 257,914	1/1981	Wooters	D7/38 X
D. 259,379	6/1981	Eisenstat	D6/188 X
3,163,287	12/1964	Barnett	108/44 X

3,185,113	5/1965	Nathan et al.	108/47
3,690,724	9/1972	Douglas et al.	108/44 X
3,807,319	4/1974	Steanson, Jr.	D6/199 X
4,010,696	3/1977	Priesman	108/44 X

Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—Pravel, Gambrell, Hewitt,
Kirk & Kimball

[57] CLAIM

The ornamental design for a tray for a chair arm, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design of this invention showing the top, an end and a side;
FIG. 2 is a top view of the design of FIG. 1;
FIG. 3 is a bottom view of the design of FIG. 1;
FIG. 4 is a cross-sectional view of FIG. 1 along line 4—4; and
FIG. 5 is an end view of the design of FIG. 1 wherein portions thereof have been omitted for convenience of illustration.
The side and end not shown in FIG. 1 are the same in appearance as the side and end shown therein.




FIG. 1




FIG. 2




FIG. 3





FIG. 4




FIG. 5