

[54] COMBINED CAMERA AND FLASH UNIT

[75] Inventor: Karl-Heinz Rubner, Munich, Fed. Rep. of Germany

[73] Assignee: AGFA-Gevaert AG, Leverkusen, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 232,243

[22] Filed: Feb. 6, 1981

[30] Foreign Application Priority Data

Aug. 11, 1980 [DE] Fed. Rep. of Germany G 178/80

[51] Int. Cl. D16-01

[52] U.S. Cl. D16/6

[58] Field of Search D16/6, 8, 1, 2; 354/126-128, 139, 145, 149, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 168,088 11/1952 Corsi D16/1
D. 185,350 6/1959 Crapsey D16/1 X

D. 262,713 1/1982 Kato D16/8
D. 263,240 3/1982 Schultes D16/6
3,169,708 2/1965 D'Incerti 354/145 X
4,130,355 12/1978 Chtaki 354/60 R X
4,231,645 11/1980 Davis 354/145
4,319,818 3/1982 Sawara 354/145


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Michael J. Striker

[57] CLAIM

The ornamental design for a combined camera and flash unit, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top and right front perspective view of a combined camera and flash unit showing my new design in an operative position;
FIG. 2 is a top and right front perspective view thereof in an inoperative position;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a top-plan view thereof;
FIG. 6 is a bottom-plan view thereof;
FIG. 7 is a right side elevational view thereof;
FIG. 8 is a left side elevational view thereof.






Fig. 2




Fig. 1

Fig.3







Fig.4








Fig. 8




Fig. 7