## United States Patent [19]

## Arends et al.

[11] Des. 268,489

[45] \*\* Apr. 5, 1983

[54]	TIRE	
[75]	Inventors:	Harm J. Arends, Voerendaal, Netherlands; Henri J. Mirtain, Noyon, France; Norbert Zinnen, Aachen, Fed. Rep. of Germany
[73]	Assignee:	Uniroyal Englebert Reifen GmbH, Aachen, Fed. Rep. of Germany
[**]	Term:	14 Years
[21]	Appl. No.:	284,511
[22]	Filed:	Jul. 17, 1981
[30] Foreign Application Priority Data		
Feb. 3, 1981 [DE] Fed. Rep. of Germany 73 MR 3265		
[51] Int. Cl D12—15		
	U.S. Cl	
[58]	Field of Search	
[56] References Cited		
U.S. PATENT DOCUMENTS		
D. 247,233 2/1978 Iwata et al D12/143		

## OTHER PUBLICATIONS

Bridgestone 108V Brochure, 6/79, 108V Steel-Belted Radial Tire.

1979 Tread Design Guide, p. 21, Avanti Steel Radial Tire, second row up from bottom & second tire in front right.

1979 Tread Design Guide, p. 77, Samyang Steel Radial 777, top center of page.

Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Becker & Becker, Inc.

[57] CLAIM

The ornamental design for a tire, as shown and described.

## **DESCRIPTION**

FIG. 1 is a perspective view of a tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, as shown schematically by solid lines, the opposite side being the same as the side shown;

FIG. 2 is an enlarged fragmentary side elevational view thereof; and

FIG. 3 is an enlarged fragmentary plan view thereof.




FIG-I

Apr. 5, 1983




FIG-2




FIG-3

