

[54] COMBINED CHECK RAIL LOCK AND
KEEPER

[75] Inventor: Donald L. Anderson, Owatonna,
Minn.

[73] Assignee: Truth Incorporated, Owatonna,
Minn.

[**] Term: 14 Years

[21] Appl. No.: 220,297

[22] Filed: Dec. 29, 1981

[51] Int. Cl. D8-07

[52] U.S. Cl. D8/337

[58] Field of Search 292/241, 194, 206;
D8/330, 331, 337, 341, 344, 343

[56] References Cited

U.S. PATENT DOCUMENTS

D. 5,696	3/1872	Fogelstrand	D8/337
D. 14,972	4/1884	Sparks	D8/337
D. 15,755	1/1885	Sparks	D8/337
D. 66,181	12/1924	Edelson	D8/341
D. 69,503	2/1926	Edelson	
D. 137,539	3/1944	Ledin	D8/341
D. 141,887	7/1945	Wilder	D8/341
156,860	11/1874	Ruscoe et al.	
D. 179,048	10/1956	Ahlgren	D8/337
D. 185,254	5/1959	Ahlgren	D8/337
D. 196,713	10/1963	Ahlgren	D8/341
D. 211,452	6/1968	Petrell	D8/341
D. 237,041	10/1975	Ruderfer	D8/337
D. 242,840	12/1976	Schmidt	D8/338
D. 249,017	8/1978	Costello	D8/337
404,916	6/1889	Koenen	
471,363	3/1892	Sloan, Jr.	

587,424	8/1897	Bonine	
979,581	12/1910	Smith	
2,135,105	11/1938	Knauff	292/206
2,997,323	8/1961	Riser	D8/331 X
3,811,718	5/1974	Bates	292/241
4,095,829	6/1978	Klompenburg	292/241

Primary Examiner—A. Hugo Word

Attorney, Agent, or Firm—Wegner, McCord, Wood &
Dalton

[57] CLAIM

The ornamental design for a combined check rail lock
and keeper, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the combined check rail
lock and keeper showing my new design;

FIG. 2 is a front elevational view of the combined
check rail lock looking toward the right side of FIG. 1;
FIG. 3 is a rear elevational view of the combined check
rail lock;

FIG. 4 is a side elevational view of the combined check
rail lock;

FIG. 5 is a side elevational view of the combined check
rail lock from the side opposite that shown in FIG. 4;

FIG. 6 is a rear elevational view of the keeper looking
toward the left side of FIG. 1;

FIG. 7 is a front elevational view of the keeper; and

FIG. 8 is a side elevational view of the keeper.

The side of the keeper opposite that shown in FIG. 8 is
a mirror image thereof and thus is not shown in the
drawings.

The bottom sides of both the check rail lock and the
keeper are essentially planar, and similarly are not
shown in detail in the drawings.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 268,643
DATED : Apr. 19, 1983
INVENTOR(S) : Donald L. Anderson

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

[22] Filed: Dec. 29, 1980

[SEAL]

Signed and Sealed this
Twenty-eighth **Day of** *June 1983*

Attest:

Attesting Officer

GERALD J. MOSSINGHOFF
Commissioner of Patents and Trademarks