

[54] **COMBINED CARTRIDGE HOLDER AND NOZZLE ASSEMBLY**

[75] **Inventor:** Paul E. DuFresne, Maplewood, Minn.

[73] **Assignee:** Minnesota Mining and Manufacturing Company, St. Paul, Minn.

[**] **Term:** 14 Years

[21] **Appl. No.:** 203,055

[22] **Filed:** Nov. 3, 1980

[51] **Int. Cl.** D29—01; D23—01

[52] **U.S. Cl.** D29/5

[58] **Field of Search** 169/30, 15, 44;
422/263, 273

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,170,908	2/1916	Houghton	422/263
3,533,473	10/1970	Jamison	169/44
3,836,076	9/1974	Conrad et al.	169/15 X
4,106,566	8/1978	Dion-Biro	169/15 X
4,143,717	3/1979	Gagliardo et al.	169/15


Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Cruzan Alexander; Donald M. Sell; David R. Cleveland

[57] **CLAIM**

The ornamental design for a combined cartridge holder and nozzle assembly, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the combined cartridge holder and nozzle assembly showing my new design; the broken lines are a conventional inlet hose connection forming no part of the present invention; FIG. 2 is an elevation view of the cartridge holder-nozzle assembly of FIG. 1; FIG. 3 is an elevation view of the cartridge holder-nozzle assembly of FIG. 1, rotated one-eighth turn about its central axis from the position shown in FIG. 2; FIG. 4 is an inlet end view of the cartridge holder-nozzle assembly of FIG. 1; the broken line represents a conventional hose connection forming no part of the present invention; and FIG. 5 is an outlet end view of the cartridge holder-nozzle assembly of FIG. 1.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5