

[54] BEVERAGE DISPENSER OR SIMILAR ARTICLE

[75] Inventor: Achille Prandelli, Concesio, Italy

[73] Assignee: Ottopran S.r.l., Collebeato, Italy

[\*\*] Term: 14 Years

[21] Appl. No.: 271,075

[22] Filed: Jun. 8, 1981

[30] Foreign Application Priority Data

Dec. 23, 1980 [IT] Italy ..... 7092/80[U]

[51] Int. Cl. .... D15-08

[52] U.S. Cl. .... D7/311; D7/308

[58] Field of Search ..... D15/111, 112, 113, 114, D15/115, 116, 119, 121, 80; D7/62

[56] References Cited

U.S. PATENT DOCUMENTS

D. 175,347 8/1955 Kamp ..... D15/115

D. 259,790 7/1981 Hentschel ..... D15/112

Primary Examiner—Winifred E. Herrmann  
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,  
Macpeak and Seas

[57] CLAIM

The ornamental design for a beverage dispenser or similar article, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a beverage

dispenser or similar article showing one side of my new design in closed condition.

FIG. 2 is a perspective view showing the front, top and inside of the dispenser with the two portions opened at right angles to each other.

FIG. 3 is a front elevational view of the interior of the dispenser with the two portions disposed at 180° relative to each other.

FIG. 4 is a top plan view of the dispenser as shown in FIG. 3.

FIG. 5 is a side elevational view of the left side of the dispenser as shown in FIG. 3.

FIG. 6 is a rear elevational view of the dispenser as shown in FIG. 3.

FIG. 7 is a bottom plan view of the dispenser as shown in FIG. 3.

FIG. 8 is a side elevational view of the right side of the dispenser as shown in FIG. 3.

FIG. 9 is a front elevational view of the dispenser as shown in the closed condition.

FIG. 10 is a side elevational view of said one side with the dispenser in the closed condition.

FIG. 11 is a top plan view of the dispenser in closed condition.

FIG. 12 is a bottom plan view of the dispenser in the closed position.

FIG. 13 is a side elevational view of the opposite side of said dispenser in the closed condition.

FIG. 14 is a rear elevational view of the dispenser in the closed condition.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

