

[54] **OCCLUSIVE SPHYGMANOMETER FOR THE MEASURING OF ARTERIAL BLOOD PRESSURE**

[76] Inventor: **Ulf S. Tamm**, 122 Ch. de la Montague, 1224 Chene Bougeries, Switzerland

[\*\*] Term: **14 Years**

[21] Appl. No.: **235,598**

[22] Filed: **Feb. 18, 1981**

[51] Int. Cl. .... **D24-02**

[52] U.S. Cl. .... **D24/21; D24/8; D24/17**

[58] Field of Search ..... 128/677, 678, 686; D24/21, 8, 17; 73/389, 731

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 232,781 9/1974 Raczkowski et al. .... D24/21
- D. 250,046 10/1978 Ohie et al. .... D24/21
- D. 250,128 10/1978 Miyazawa ..... D24/21
- D. 255,381 6/1980 Schmidt ..... D24/21

3,896,791 7/1975 Ono ..... 128/686 X  
3,906,937 9/1975 Aronson ..... 128/686 X

*Primary Examiner*—Bernard Ansher  
*Attorney, Agent, or Firm*—Thomas R. Boland

[57] **CLAIM**

The ornamental design for an occlusive sphygmometer for the measuring of arterial blood pressure, substantially as shown.

**DESCRIPTION**

FIG. 1 is a top perspective view of an occlusive sphygmometer for the measuring of arterial blood pressure showing my new design with its pivotal bulb pump in position for use in combination with an arm attachment band which is employed therewith;  
 FIG. 2 is a top perspective view of my new design with the bulb pump in its recessed position;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a side elevation view thereof showing the side which is visible in FIG. 2;  
 FIG. 5 is a side elevation view thereof showing the side opposite to that of FIG. 4; and  
 FIG. 6 is a rear elevation view thereof showing the end of the apparatus not visible in FIG. 2.




FIG. 1.




FIG. 2.







FIG. 3.



*FIG. 4.*



*FIG. 5.*



*FIG. 6.*

