

[54] WALKING SPLINT

[76] Inventor: **Hugh W. Payton**, 36 S. Main St.,  
Jeffersonville, Ohio 43128

[\*\*] Term: **14 Years**

[21] Appl. No.: **182,274**

[22] Filed: **Aug. 25, 1980**

[51] Int. Cl. .... **D24-04**

[52] U.S. Cl. .... **D24/64**

[58] Field of Search ..... 128/83.5, 89 R, 80 E,  
128/90, 165; D24/64

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 257,594	12/1980	Finnieston	.....	D24/64
2,707,052	4/1955	Brown	.....	24/257 R
2,762,367	9/1956	Rubin	.....	128/83.5
3,265,297	8/1966	Behrens	.....	24/257 R X
3,744,487	7/1973	Lipson et al.	.....	128/83.5
3,800,789	4/1974	Schloss	.....	128/90

3,916,886	11/1975	Rogers	.....	128/80 E
3,955,565	5/1976	Johnson, Jr.	.....	128/89 R
4,005,704	2/1977	Stöhr et al.	.....	128/83.5
4,057,056	11/1977	Payton	.....	128/83.5

**OTHER PUBLICATIONS**

Zimmer, Fracture Appliances Catalogue, "Lewin Walking Heel", Feb. 1947, p. 116.

*Primary Examiner*—Bernard Ansher  
*Attorney, Agent, or Firm*—Biebel, French & Nauman

[57] **CLAIM**

The ornamental design for a walking splint, substantially as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a walking splint showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a side view thereof;  
FIG. 5 is a top plan view thereof; and  
FIG. 6 is a bottom plan view thereof.




FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6

