United States Patent [19]

Zeidman

[11] **Des. 270,229**

[45] ** **Aug. 23, 1983**

[54] **TOOL AND OPERATOR HEAD FOR TOOL-OPERATED LOCK**

[75] Inventor: **Gordon G. Zeidman,** Columbus, Ohio

[73] Assignee: **The Eastern Company,** Cleveland, Ohio

[21] Appl. No.: **199,548**

[22] Filed: **Oct. 22, 1980**

[51] **Int. Cl.** ..... **D8—07**

[52] **U.S. Cl.** **D8/331;** D8/330

[58] **Field of Search** D8/330, 331; 81/90; D8/21, 28

[56] **References Cited**

U.S. PATENT DOCUMENTS

Re. 22,681	10/1945	Bugg .
Re. 27,616	4/1973	Diaz .
150,091	4/1874	Smith .
1,624,767	4/1927	Schwemlein .
1,715,032	5/1929	Hoegger .
2,179,045	11/1939	Lewis .
2,193,477	3/1940	DeVellier .
2,244,046	6/1941	Bradshaw .
2,286,950	6/1942	Breedlove .
2,340,864	2/1944	Carpenter .
2,362,999	11/1944	Hewitt .
2,372,269	3/1945	Golan .
2,397,216	3/1946	Stellin .
2,437,381	3/1948	Cullen .
2,445,525	7/1948	Gulden .
2,451,747	10/1948	Kindt .
2,458,391	1/1949	Lavietes .
2,500,653	3/1950	Berg .
2,676,479	4/1954	Bethune .
2,708,844	5/1955	Cincel .
2,741,289	4/1956	Grow .
2,770,998	11/1956	Schwartz .
2,813,450	11/1957	Dzus .
2,839,322	6/1958	Kirk .
2,847,894	8/1958	Smith et al. .
2,848,024	8/1958	Smith et al. .
2,969,250	1/1961	Kull .
3,023,041	2/1962	Pluylaar .
3,034,386	5/1962	Corlett et al. .
3,060,785	10/1962	Corlett et al. .
3,060,786	10/1962	Flower .
3,065,012	11/1962	Trotter .
3,088,140	5/1963	Carlson .
3,106,862	10/1963	Briles .
3,116,081	12/1963	Goodridge .
3,122,963	3/1964	Borgeson .
3,146,010	8/1964	Dellith .
3,174,383	3/1965	Heil .
3,190,169	6/1965	Rosan .
3,213,719	10/1965	Kloack .
3,222,976	12/1965	Holman .
3,236,141	2/1966	Smith .
3,236,275	2/1966	Smith .
3,237,436	3/1966	Williams .
3,241,408	3/1966	McCauley .
3,244,442	4/1966	Arbogast .
3,279,838	10/1966	Hamilton .
3,282,145	11/1966	Prescott .
3,302,672	2/1967	Walton .
3,363,500	1/1968	Simko .
3,368,443	2/1968	Faul .
3,369,441	2/1968	Kosar .
3,379,231	4/1968	Gallo, Sr. .
3,411,396	11/1968	Herpich .
3,449,988	6/1969	Gallo, Sr. .
3,463,209	8/1969	Podolsky .
3,470,786	10/1969	Martins .
3,492,841	2/1970	Ipri .
3,498,173	3/1970	Wright .
3,519,979	7/1970	Bodenstein .
3,549,184	12/1970	Anderson .
3,575,080	4/1971	Hannay .
3,604,487	9/1971	Gilbert .
3,656,396	4/1972	Gutshall .
3,658,105	4/1972	Burt et al. .
3,674,075	7/1972	Hoegee .
3,695,321	10/1972	Garehime, Jr. .
3,730,048	5/1973	Okada .
3,738,136	6/1973	Falk .
3,763,725	10/1973	Reiland .
3,808,937	5/1974	Roehrig .
3,812,757	5/1974	Reiland .
3,821,975	7/1974	Haker .
3,859,888	1/1975	Okada .
3,865,007	2/1975	Stanback .
3,872,904	3/1975	Barlow .
3,874,258	4/1975	Semola et al. .
3,888,144	6/1975	Parsons .
3,892,031	7/1975	Bisbing .
3,921,494	4/1975	Coe .
3,929,152	12/1975	Graham .
3,935,877	2/1976	Franceschi .
3,967,432	7/1976	Starr .

3,978,614	9/1976	Goldhaber .
4,006,660	2/1977	Yamamoto et al. .
4,018,111	4/1977	Goldhaber .
4,025,140	5/1977	Matys .
4,027,572	6/1977	Burge .
4,033,003	7/1977	Marroquin .
4,033,244	7/1977	Jacobson .
4,037,514	7/1977	Lliteras .
4,047,266	9/1977	Bisbing .
4,079,643	3/1978	Evans .
4,091,708	5/1978	Jacobson .
4,128,038	12/1978	Urwin .
4,145,978	3/1979	Johnson et al. .
4,146,073	3/1979	Lliteras .

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—David A. Burge

[57] **CLAIM**

The ornamental design for a one-piece operator head for a tool-operated lock, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a two-piece operator head for a tool-operated lock showing my new design;
FIG. **2** is a top plan view thereof;
FIG. **3** is an elevational view of either of the right or left sides thereof;
FIG. **4** is an elevational view of either of the front or rear sides thereof; and,
FIG. **5** is a sectional view thereof as seen from a plane indicated by a line **5—5** in FIG. **3.**
The broken lines representing the operating shaft is shown for illustrative purposes only.



FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5