

United States Patent [19]


Polson


[11] Des. 270,431 [45] ** Sep. 6, 1983


[54]	54] INDOOR-OUTDOOR THERMOMETER		Primary Examiner—Nelson C. Holtje Attorney, Agent, or Firm—Burgess, Ryan & Wayne
[76]	Inventor:	William Polson, 213 Nagle Ave., Apt. 4L, New York, N.Y. 10034	[57] CLAIM
		- -	The ornamental design for an indoor-outdoor thermom-
[**]	Term:	14 Years	eter, substantially as shown and described.
[21]	Appl. No.:	258,540	FIG. 1 is a front elevational view of an indoor-outdoor thermometer showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof;
[22]		Apr. 28, 1981	
[52]	Int. Cl. D10—04 U.S. Cl. D10/58	D10—04	
		FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front elevational view of another embodiment of my new design of FIGS. 1-6;	
	Field of Search		
• -	73/371, 374, 376; 374/193, 194, 208		
[56]	References Cited U.S. PATENT DOCUMENTS		
[56]			
			FIG. 8 is a rear elevational view thereof;
	D. 18,405 6/	1888 Weiland D10/58	FIG. 9 is a left side elevational view thereof; FIG. 10 is a right side elevational view thereof;
	D. 34,894 8/	1901 Mayer	FIG. 10 is a right side elevational view thereof; and
D. 127,325 5/1941 MacCowan			FIG. 12 is a bottom plan view thereof. The broken-line showings of glass separating the indoor
1920 Milker 1910/30 A			
	3,196,684 //	1903 VEHIOR	

















FIG. 11




FIG. 12