

[54] LIGHT ARMoured VEHICLE

[76] Inventor: Paul Legueu, 85 avenue de Mazy, 44380 Pornichet, France

[\*\*] Term: 14 Years

[21] Appl. No.: 190,838

[22] Filed: Sep. 25, 1980

[30] Foreign Application Priority Data

Apr. 15, 1980 [FR] France ..... 801247

[51] Int. Cl. .... D12-13

[52] U.S. Cl. .... D12/12

[58] Field of Search ..... D12/12; 89/36 H, 36 F

[56] References Cited

U.S. PATENT DOCUMENTS

D. 253,587 12/1979 Bemiss ..... D12/12

OTHER PUBLICATIONS

Ordnance, May-Jun. 1961, p 804, XM521 Amphibious Vehicle, top of page.

Primary Examiner—James M. Gandy


Attorney, Agent, or Firm—Fidelman, Wolfe & Waldron


[57] CLAIM

The ornamental design for a light armoured vehicle, substantially as shown and described.

DESCRIPTION


FIG. 1 is a left front perspective view of a light armoured vehicle showing my design; FIG. 2 is a left front perspective view thereof, with the rear bed covering removed; FIG. 3 is a right side elevation view of a light armoured vehicle showing a second embodiment of my new design, it being understood that the only differences between this embodiment and the first embodiment reside in the positioning of the antennas and the omission of the center support for holding the front window armoured canopy in a pivoted, raised position and the omission of the tread pattern from the tires; FIG. 4 is a rear elevation view of FIG. 3 with the rear bed covering removed; and FIG. 5 is a top plan view of FIG. 4. The opposite side, rear, and top plan of the first embodiment are the same as those shown, respectively, in FIGS. 3, 4, and 5, except for the differences between the embodiments as noted in the description of FIG. 3.









*Fig. 2*



*Fig. 4*



*Fig. 3*



*Fig. 5*

