

[54] **DIALING PAD**

[75] **Inventors:** Hisao Fukushima; Masaharu Tarao,  
both of Tokyo, Japan

[73] **Assignee:** Oki Electric Industry Co., Ltd.,  
Tokyo, Japan

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 280,286

[22] **Filed:** Jul. 6, 1981

[51] **Int. Cl.** ..... D14-03

[52] **U.S. Cl.** ..... D14/66; D18/12

[58] **Field of Search** ..... D14/66, 53, 59, 60,  
D14/92, 94, 58; D18/12; 179/178, 100 R, 100  
D, 90 K, 90 BB, 90 BS, 90 BD; 200/5 A

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 260,889 9/1981 McLean et al. .... D14/66

D. 263,590 3/1982 Fukushima et al. .... D14/66  
D. 263,707 4/1982 Fukushima et al. .... D14/66  
D. 265,648 8/1982 Fukushima et al. .... D14/66  
D. 265,735 8/1982 Fukushima et al. .... D14/66  
4,268,721 5/1981 Nielson et al. .... 179/2 C

*Primary Examiner*—Bernard Ansher  
*Attorney, Agent, or Firm*—Berger & Palmer

[57] **CLAIM**

The ornamental design for a dialing pad, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation of a dialing pad showing our new design;  
FIG. 2 is a rear elevation thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevation thereof;  
FIG. 6 is a right side elevation thereof;  
FIG. 7 is a front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

