

[54] **BATHTUB**  
 [75] Inventors: **Arthur A. Sills; John H. Kraft; Raymond T. Houle**, all of Traverse City, Mich.; **Stewart D. Reed**, El Toro, Calif.; **Michael A. Redwine**, Acme; **Fredrick A. Kilborn**, Suttons Bay, both of Mich.

[73] Assignee: **Silchor**, Traverse City, Mich.

[\*\*] Term: **14 Years**

[21] Appl. No.: **187,337**

[22] Filed: **Sep. 15, 1980**

[51] Int. Cl. .... **D23-02**

[52] U.S. Cl. .... **D23/55; D24/38**

[58] Field of Search .... **D23/48-57; D24/38; 4/538, 541-544, 546, 555, 559, 571, 573, 575, 578, 584, 589, 590; 128/66**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 97,729	12/1935	Davock	.....	D23/55
D. 143,204	12/1945	Fleischhauer	.....	D4/4
D. 229,180	11/1973	Mollerstedt	.....	D23/55
D. 237,616	11/1975	Gordon	.....	D24/38 X
D. 237,709	11/1975	Jacuzzi	.....	D23/55
D. 254,206	2/1980	Ogden	.....	D23/55 X
D. 255,932	7/1980	D'Innocente et al.	.....	D23/55 X
D. 257,058	9/1980	Laver	.....	D23/57
2,079,770	5/1937	Robinson	.....	4/584
2,081,728	5/1937	Bassett	.....	4/173
2,166,469	7/1939	Houston	.....	4/569
2,566,495	9/1951	Miyakawa	.....	4/590
2,587,335	2/1952	Landergott	.....	4/180
3,066,316	12/1962	Russell	.....	4/173

3,113,323	12/1963	Beardsley	.....	4/173
3,366,978	2/1968	Jones	.....	4/177
3,467,969	9/1969	Szekely	.....	4/180
3,496,579	2/1970	Petersen	.....	4/173
3,663,971	5/1972	Bonhote	.....	4/173
3,736,924	6/1973	Jacuzzi et al.	.....	128/66
3,827,087	8/1974	Cuthbertson	.....	4/178
3,924,278	12/1975	Ekman	.....	4/176
3,967,472	6/1976	Nicollet	.....	128/66
4,160,292	7/1979	Kuether et al.	.....	4/146
4,346,485	8/1982	Reed et al.	.....	4/538
4,365,367	12/1982	Houle et al.	.....	4/538

**OTHER PUBLICATIONS**

Domestic Engineering, May 1978, p. 64, top left item.

*Primary Examiner*—James R. Largen

*Attorney, Agent, or Firm*—Price, Heneveld, Huizenga & Cooper

[57] **CLAIM**

The ornamental design for the bathtub, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view taken from the top, front and left end of a bathtub showing our new design, the rear and right end thereof being plain and unornamented;


FIG. 2 is a top plan view thereof;


FIG. 3 is a front elevational view thereof;

FIG. 4 is a cross-sectional view taken along the line IV—IV of FIG. 2;


FIG. 5 is a cross-sectional view taken along the line V—V of FIG. 4; and

FIG. 6 is a cross-sectional view taken along the lines VI—VI of FIG. 4.





*Fig. 1.*



*Fig. 2.*




Fig. 3.






Fig. 4.



*Fig. 5.*



*Fig. 6.*