

[54] INFANT SAFETY SEAT

[76] Inventor: Sandra L. Busch, 6520 132nd St. West, Apple Valley, Minn. 55124

[**] Term: 14 Years

[21] Appl. No.: 227,629

[22] Filed: Jan. 23, 1981

[51] Int. Cl. D6-01

[52] U.S. Cl. D6/7

[58] Field of Search D6/5, 7, 9, 48; 207/275, 274

[56] References Cited

U.S. PATENT DOCUMENTS

D. 140,503	3/1945	Geluso	D6/9
803,427	10/1905	Monroe	297/275
955,954	4/1910	Emerick	297/275
1,498,593	6/1924	Waiss	297/275 X
2,852,066	9/1958	Hawkins	297/275 X

2,868,272 1/1959 Poole et al. 297/275
4,139,131 2/1979 Hathaway 297/275 X


Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—James R. Haller


[57] CLAIM

The ornamental design for an infant safety seat, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the infant safety seat of the invention;
FIG. 2 is a top view thereof, viewed in a single plane;
FIG. 3 is a bottom view thereof, viewed in a single plane;
FIG. 4 is a cross-sectional view thereof taken along line 4-4 of FIG. 3;
FIG. 5 is a cross-sectional view thereof, partially broken away, taken along line 5-5 of FIG. 2; and
FIG. 6 is a side view of the infant safety seat shown in FIG. 2.









FIG 6



FIG 5



FIG 4