

[54] TIRE

[75] Inventor: Peter McDonald, Hudson, Ohio

[73] Assignee: The Firestone Tire & Rubber Company, Akron, Ohio

[\*\*] Term: 14 Years

[21] Appl. No.: 247,474

[22] Filed: Mar. 25, 1981

[51] Int. Cl. .... D12-15

[52] U.S. Cl. .... D12/152

[58] Field of Search ..... D12/152; 152/153 R, 152/153 G

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 186,095 9/1959 Balmer, Jr. et al. .... D12/152
- D. 222,216 10/1971 Overstreet et al. .... D12/152
- 1,458,629 6/1923 Raymond ..... D12/152
- 1,784,118 12/1930 Smithers ..... D12/152

Primary Examiner—James M. Gandy  
Attorney, Agent, or Firm—Ernst H. Ruf

[57] CLAIM

The ornamental design for a tire, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire showing my new design;

FIG. 2 is an elevational view of the side shown in FIG. 1;


FIG. 3 is an enlarged fragmentary sectional view thereof taken along line 3—3 in FIG. 1;

FIG. 4 is a perspective view thereof showing the side opposite to that shown in FIG. 1;

FIG. 5 is an elevational view of the side shown in FIG. 4; and

FIG. 6 is an enlarged fragmentary sectional view taken along line 6—6 in FIG. 4.

The characteristic feature of my design resides in the plurality of sequentially-adjacent modules along the sidewall of the tire defined by a pair of spaced circumferential ribs, connected by predetermined angularly-spaced substantially radial ribs, all of said ribs depending from the base surface of the sidewall and being of the same color as said surface.






FIG. 1

FIG. 3






FIG.2




FIG. 4





FIG. 6





*FIG.5*