

- [54] VEHICLE DISC BRAKE SHOE
- [75] Inventor: **Richard T. Robinette**, St. Clair Shores, Mich.
- [73] Assignee: **Kelsey-Hayes Co.**, Romulus, Mich.
- [**] Term: **14 Years**
- [21] Appl. No.: **256,449**
- [22] Filed: **Apr. 22, 1981**
- [51] Int. Cl. **D12-16**
- [52] U.S. Cl. **D12/180**
- [58] Field of Search **D12/180; 188/250 H, 188/250 G, 250 B, 73.1**

[56] **References Cited**
U.S. PATENT DOCUMENTS
 D. 255,232 6/1980 Rinker et al. D12/180
 3,767,018 10/1973 Gordon 188/250 G
 3,982,612 9/1976 Krupka 188/250 G


Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Ralph J. Skinkiss


[57] **CLAIM**

The ornamental design for a vehicle disc brake shoe, substantially as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a vehicle disc brake shoe embodying my new design.
 FIG. 2 is a top plan view thereof.
 FIG. 3 is a rear elevational view thereof.
 FIG. 4 is a bottom plan view thereof.
 FIG. 5 is a left end elevational view thereof.
 FIG. 6 is a right end elevational view thereof.
 FIG. 7 is a front elevational view of a vehicle disc brake shoe embodying my new design;
 FIG. 8 is a top plan view of FIG. 7;
 FIG. 9 is a rear elevational view of FIG. 7;
 FIG. 10 is a bottom plan view of FIG. 7;
 FIG. 11 is a left end elevational view of FIG. 7; and
 FIG. 12 is a right end elevational view of FIG. 7.







—FIG. 1




—FIG. 2



—FIG. 3




—FIG. 4




—FIG. 5




—FIG. 6




—FIG. 7




—FIG. 8



—FIG. 9



—FIG. 10



—FIG. 11



—FIG. 12