

[54] DROP CORD LIGHT

[76] Inventor: Peter Tirpik, 225 Carmelo La., South San Francisco, Calif. 94080

[**] Term: 14 Years

[21] Appl. No.: 209,899

[22] Filed: Nov. 24, 1980

[51] Int. Cl. D26-02

[52] U.S. Cl. D26/37

[58] Field of Search 362/200-208, 362/157, 158, 258, 387, 344, 368, 376, 377, 378, 398, 400; D26/37-50

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,751	5/1979	Lawrence et al.	D48/24 R
1,932,143	10/1933	Piercy	240/52.1
2,460,173	1/1949	Halbing	240/54
2,747,079	5/1956	Kubiliunas	240/52.15
2,886,664	5/1959	Graubner	200/60

2,987,612	6/1961	Haulter	240/52.15
4,141,062	2/1979	Trueblood	362/400
4,282,562	8/1981	Marino	362/398 X


Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Phillips, Moore, Lempio & Finley

[57] CLAIM

The ornamental design for a drop cord light, substantially as shown and described.

DESCRIPTION

FIG. 1 is an isometric view from the top and side of a drop cord light showing my new design;
FIG. 2 is an isometric view from the top and opposite side thereof;
FIG. 3 is a front elevational view thereof on a reduced scale;
FIG. 4 is a side elevational view thereof on a reduced scale;
FIGS. 5 and 6 are respectively top and bottom plan views thereof on a reduced scale.






FIGURE 1




FIGURE 2

FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6

