

[54] DROP CORD LIGHT

[76] Inventor: Peter Tirpik, 225 Carmelo La., South San Francisco, Calif. 94080

[\*\*] Term: 14 Years

[21] Appl. No.: 209,899

[22] Filed: Nov. 24, 1980

[51] Int. Cl. .... D26-02

[52] U.S. Cl. .... D26/37

[58] Field of Search ..... 362/200-208, 362/157, 158, 258, 387, 344, 368, 376, 377, 378, 398, 400; D26/37-50

[56] References Cited

U.S. PATENT DOCUMENTS

D. 251,751	5/1979	Lawrence et al. ....	D48/24 R
1,932,143	10/1933	Piercy .....	240/52.1
2,460,173	1/1949	Halbing .....	240/54
2,747,079	5/1956	Kubiliunas .....	240/52.15
2,886,664	5/1959	Graubner .....	200/60

2,987,612	6/1961	Halter .....	240/52.15
4,141,062	2/1979	Trueblood .....	362/400
4,282,562	8/1981	Marino .....	362/398 X


Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Phillips, Moore, Lempio & Finley

[57] CLAIM

The ornamental design for a drop cord light, substantially as shown and described.

DESCRIPTION

FIG. 1 is an isometric view from the top and side of a drop cord light showing my new design;  
FIG. 2 is an isometric view from the top and opposite side thereof;  
FIG. 3 is a front elevational view thereof on a reduced scale;  
FIG. 4 is a side elevational view thereof on a reduced scale;  
FIGS. 5 and 6 are respectively top and bottom plan views thereof on a reduced scale.






FIGURE 1






FIGURE 2


**FIGURE 3**



**FIGURE 4**



**FIGURE 5**



**FIGURE 6**

