

[54] SWEATSHIRT OR SIMILAR ARTICLE

[76] Inventor: Matthew M. Dowling, 21 Dalton Ct., Pacheco, Calif. 94553

[**] Term: 14 Years

[21] Appl. No.: 262,334

[22] Filed: May 11, 1981

[51] Int. Cl. D2-02

[52] U.S. Cl. D2/184; D2/187; D2/202

[58] Field of Search D2/27, 29, 44, 48, 180, D2/183, 184, 187, 202; 2/90, 108, 269, 270, DIG. 6

[56] References Cited

U.S. PATENT DOCUMENTS

2,626,396 1/1953 Kanin 2/269

OTHER PUBLICATIONS

Sears Fall-Winter '79 Cat., "Eastern 3967702 Ed. 259G," p. 408, items #'s 4 & 5.

Sears Fall-Winter '79 Cat., p. 409, items #'s 1 & 2.

Montgomery Ward Fall & Winter '79 Cat., Balto., Md. Ed., p. 397, item "C", Jacket.

Primary Examiner—Jane E. Corrigan

Attorney, Agent, or Firm—James G. O'Neill

[57] CLAIM

The ornamental design for a sweatshirt or similar article, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a sweatshirt or similar article showing my new design with the left sleeve in raised position;

FIG. 2 is a top plan view with the sleeves extended outwardly;

FIG. 3 is a front elevational view with the sleeves extended downwardly;

FIG. 4 is a side elevational view with the left sleeve in the position of FIG. 1;

FIG. 5 is a rear elevational view with the sleeves in the position of FIG. 3;

FIG. 6 is a view like FIG. 1 of a modified form of a sweatshirt or similar article showing my new design wherein a front bottom pocket pouch is included and the front slide fastener is shortened;

FIG. 7 is a view like FIG. 1 with the sleeve inside slide fasteners opened and the opened, folded sleeves held in position by the two matching pairs of fastening means near the cuffs and on the shoulders;


FIG. 8 is a view like FIG. 2 with the sleeves in the position of FIG. 7;

FIG. 9 is a view like FIG. 3 with the sleeves in the position of FIG. 7;

FIG. 10 is a view like FIG. 4 with the sleeves in the position of FIG. 7;

FIG. 11 is a view like FIG. 5 with the sleeves in the position of FIG. 7; and

FIG. 12 is a view like FIG. 6 with the sleeves in the position of FIG. 7.






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.




FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 12.