

[54] SAFETY HOOK

[75] Inventor: Michel Boissonnet, Thiers, France

[73] Assignee: S.A.R.L. Wichard, Thiers, France

[**] Term: 14 Years

[21] Appl. No.: 251,781

[22] Filed: Apr. 7, 1981

[51] Int. Cl. D8-08

[52] U.S. Cl. D8/367

[58] Field of Search D8/356, 367, 370, 371, D8/382; 294/82 R; 24/241 P, 241 PP, 230.5 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 234,946	4/1975	Fredriksson	D8/367
1,554,841	9/1925	Clark	24/241 P
3,785,015	1/1974	Dorton	294/82 R
4,013,314	3/1977	Archer	294/82 R
4,073,042	2/1978	Miller	24/241 P

FOREIGN PATENT DOCUMENTS

6905765 12/1970 France .

1236724 6/1971 United Kingdom .

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Young & Thompson

[57] CLAIM

The ornamental design for a safety hook, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a safety hook showing my new design;


FIG. 2 is a side elevational view thereof showing the side opposite that which is shown in FIG. 1;

FIG. 3 is an elevational view thereof from the left of FIG. 2;

FIG. 4 is an elevational view thereof from the right of FIG. 2;

FIG. 5 is a top plan view thereof; and

FIG. 6 is a bottom plan view thereof.






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6

