

[54] SOLDERING IRON TIP

[75] Inventor: Ronald Riccio, Hermosa Beach, Calif.  
[73] Assignee: Eldon Industries, Inc., Hawthorne, Calif.  
[\*\*] Term: 14 Years  
[21] Appl. No.: 230,641  
[22] Filed: Feb. 2, 1981

[51] Int. Cl. .... D8-05  
[52] U.S. Cl. .... D8/30  
[58] Field of Search ..... D8/30, 70; 219/229, 219/230, 238

[56] References Cited

U.S. PATENT DOCUMENTS

D. 162,895 4/1951 Spahn ..... D8/30  
D. 213,782 4/1969 Knowles ..... D8/30  
4,023,724 5/1977 Wakita et al. .... 219/230 X

Primary Examiner—Alan P. Douglas  
Attorney, Agent, or Firm—Edward D. O'Brian; K. H. Boswell


[57] CLAIM


The ornamental design for a soldering iron tip, substantially as shown and described.

DESCRIPTION


FIG. 1 is an isometric view showing the top, the front

and one side of a soldering iron tip embodying the new design of my invention;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a side elevational view thereof illustrating the side which is not visible in FIG. 1;  
FIG. 6 is an isometric view of a modified view showing the top, the front and one side of a modified soldering iron tip embodying the new design of my invention;  
FIG. 7 is a front elevational view thereof;  
FIG. 8 is a bottom plan view thereof;  
FIG. 9 is a rear elevational view thereof;  
FIG. 10 is a side elevational view thereof illustrating the side which is not visible in FIG. 5;  
FIG. 11 is an isometric view of a further modified view showing the top, the front and one side of a modified soldering iron tip embodying the new design of my invention;  
FIG. 12 is a front elevational view thereof;  
FIG. 13 is a bottom plan view thereof;  
FIG. 14 is a rear elevational view thereof;  
FIG. 15 is a side elevational view thereof illustrating the side which is not visible in FIG. 11;  
FIG. 16 is an isometric view of a still further modified view showing the top, the front and one side of a modified soldering iron tip embodying the new design of my invention;  
FIG. 17 is a front elevational view thereof;  
FIG. 18 is a bottom plan view thereof;  
FIG. 19 is a rear elevational view thereof; and  
FIG. 20 is a side elevational view thereof illustrating the side which is not visible in FIG. 16.







*Fig. 1*



*Fig. 2*




*Fig. 3*




*Fig. 4*




*Fig. 5*




*Fig. 6*



*Fig. 7*




*Fig. 8*




*Fig. 9*



*Fig. 10*





*Fig. 11*



*Fig. 12*


*Fig. 13*




*Fig. 14*

*Fig. 15*







*Fig. 16*



*Fig. 17*

*Fig. 18*



*Fig. 19*

*Fig. 20*

