

[54] **COMBINED INSIDE AND OUTSIDE THERMOMETER**

[76] Inventor: **William Polson**, 213 Nagle Ave., Apt. 4L, New York, N.Y. 10034

[**] Term: **14 Years**

[21] Appl. No.: **216,921**

[22] Filed: **Dec. 16, 1980**

[51] Int. Cl. **D10-04**

[52] U.S. Cl. **D10/58**

[58] Field of Search D10/58, 60, 122; 73/371, 374, 376; 116/216

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 69,246 1/1926 Winn D10/58
- D. 92,263 5/1934 Montanye D10/53
- D. 183,921 11/1958 Florian D10/53

- D. 254,780 4/1980 Mueller D10/58
- 612,518 10/1898 Herbener 73/376
- 1,645,211 10/1927 Zeal 73/376
- 2,666,329 1/1954 Hiler 73/376
- 3,099,162 7/1963 Imperial 73/376
- 3,618,558 11/1971 Tepfer 73/371 X


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Burgess, Ryan & Wayne

[57] **CLAIM**

The ornamental design for a combined inside and outside thermometer, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined inside and outside thermometer showing my new design with an environmental showing of a transparent member in broken-lines between the two portions of the design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof, the right side being a mirror image thereto.






FIG. 1




FIG. 2




FIG. 3




FIG. 1




FIG. 2




FIG. 3