

[54] HIGH EFFICIENCY STOVE AND ZERO-CLEARANCE FIREPLACE INSERT

4,178,908	12/1979	Trexler	126/121
4,206,744	6/1980	Mahoney et al.	126/121
4,271,815	6/1981	Johnson	126/121
4,287,871	9/1981	Schumann et al.	126/121 X

[75] Inventor: Albert B. Chamberlain, Stone Mountain, Ga.

Primary Examiner—Catherine E. Kemper
Attorney, Agent, or Firm—Newton, Hopkins & Ormsby

[73] Assignee: Atlanta Stove Works, Inc., Atlanta, Ga.

[57] CLAIM

[**] Term: 14 Years

The ornamental design for a high efficiency stove and zero-clearance fireplace insert, as shown and described.

[21] Appl. No.: 263,976

DESCRIPTION

[22] Filed: May 15, 1981

FIG. 1 is a front elevational view of a high efficiency stove and zero clearance fireplace insert, showing my new design;

[51] Int. Cl. D23-03

FIG. 2 is a top plan view thereof;

[52] U.S. Cl. D23/94

FIG. 3 is a right side elevational view thereof;

[58] Field of Search D23/92-97;
126/120, 121, 126, 128, 58, 60-66

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a rear elevational view thereof;


FIG. 6 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,973 5/1978 Bergstrom D23/94

The flue pipe is shown broken off in all views in which it appears to indicate indeterminate length.






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6