

[54] COMBINED GOLF PUTTER HOSEL AND ALIGNMENT INDICATOR

[76] Inventor: Sonnie J. Perkins, 1214-169th Ave. NE., Bellevue, Wash. 98008

[**] Term: 14 Years

[21] Appl. No.: 235,434

[22] Filed: Feb. 17, 1981

[51] Int. Cl. D21-02

[52] U.S. Cl. D21/221; D21/219

[58] Field of Search D21/221, 214-220; 273/163 R, 164, 167-175

[56] References Cited

U.S. PATENT DOCUMENTS

D. 247,319	2/1978	Barr	D21/219
2,478,468	8/1949	Drake	D21/217
3,815,910	6/1974	Raines	273/167 R
3,989,257	11/1976	Barr	273/164

OTHER PUBLICATIONS

Golf Digest, Feb. 1973, p. 198, upper left, dogleg putter.

Primary Examiner—Melvin B. Feifer

Attorney, Agent, or Firm—William W. Haefliger

[57] CLAIM

The ornamental design for a combined golf putter hosel and alignment indicator, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a combined golf putter hosel and alignment indicator showing my new design;

FIG. 2 is a rear elevation thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a right side elevation taken from line 4-4 of FIG. 1; the left side view of the indicator being the same;

FIG. 5 is a top plan view showing another embodiment thereof;

FIG. 6 is a side elevation taken along line 6-6 of FIG. 5; and

FIG. 7 is a rear elevation of FIG. 6.

The broken line showing of a golf club head and shaft portion is to show environment only.





