

[54] **COMBINED GOLF PUTTER HOSEL AND ALIGNMENT INDICATOR**

[76] Inventor: **Sonnie J. Perkins**, 1214-169th Ave. NE., Bellevue, Wash. 98008

[**] Term: **14 Years**

[21] Appl. No.: **235,434**

[22] Filed: **Feb. 17, 1981**

[51] Int. Cl. **D21-02**

[52] U.S. Cl. **D21/221; D21/219**

[58] Field of Search **D21/221, 214-220; 273/163 R, 164, 167-175**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 247,319	2/1978	Barr	D21/219
2,478,468	8/1949	Drake	D21/217
3,815,910	6/1974	Raines	273/167 R
3,989,257	11/1976	Barr	273/164

OTHER PUBLICATIONS

Golf Digest, Feb. 1973, p. 198, upper left, dogleg putter.

Primary Examiner—Melvin B. Feifer
Attorney, Agent, or Firm—William W. Haefliger

[57] **CLAIM**

The ornamental design for a combined golf putter hosel and alignment indicator, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevation of a combined golf putter hosel and alignment indicator showing my new design; FIG. 2 is a rear elevation thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a right side elevation taken from line 4—4 of FIG. 1; the left side view of the indicator being the same; FIG. 5 is a top plan view showing another embodiment thereof; FIG. 6 is a side elevation taken along line 6—6 of FIG. 5; and FIG. 7 is a rear elevation of FIG. 6. The broken line showing of a golf club head and shaft portion is to show environment only.





