

[54] **SAFETY PAD FOR USE WITH BARBELL OR SIMILAR ARTICLE**

[76] **Inventor:** Barney R. Fuller, Sr., 15605 Singapore La., Houston, Tex. 77040

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 330,990

[22] **Filed:** Dec. 15, 1981

[51] **Int. Cl.** ..... D21-02

[52] **U.S. Cl.** ..... D21/191

[58] **Field of Search** ..... D21/191-198; 224/201, 59, 28, 25, 201; 272/119, 117, 123, DIG. 4, 143; 2/2, 44, 45

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,679,107 7/1972 Perrine ..... 224/201

4,213,605 7/1980 McPeak ..... 272/119

**FOREIGN PATENT DOCUMENTS**

244547 12/1925 United Kingdom ..... 224/28


*Primary Examiner*—Charles A. Rademaker  
*Attorney, Agent, or Firm*—Jack Darrell

[57] **CLAIM**

The ornamental design for a safety pad for use with barbell or similar article, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a safety pad for use with barbell or similar article showing my new design; FIG. 2 is a left side elevational view thereof, the side opposite being substantially a mirror image; FIG. 3 is a top plan view thereof; FIG. 4 is a front elevational view thereof; and, FIG. 5 is a rear elevational view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5