

- [54] COMBINATION LIFT INSERT AND WELD
PLATE FOR USE IN HOLLOW CORE
CONCRETE PLANKS
- [75] Inventor: Richard R. Koehn, Prior Lake, Minn.
- [73] Assignee: Fabcon, Inc., Savage, Minn.
- [**] Term: 14 Years
- [21] Appl. No.: 273,476
- [22] Filed: Jun. 15, 1981
- [51] Int. Cl. D8—08; D8—06;
D25—99
- [52] U.S. Cl. D8/349; D8/313;
D8/384; D25/98
- [58] Field of Search D8/300, 313, 384, 349,
D8/354; 52/125.2, 125.4, 125.6; 294/86 H, 137;
D25/98

[56] References Cited

U.S. PATENT DOCUMENTS			
2,886,370	5/1959	Lichert	52/125.4
3,187,694	6/1965	Crookston et al.	52/125.4
3,259,086	7/1966	Stein	52/125.4
4,262,951	4/1981	Hoyer	52/125.4

4,304,431 12/1981 Walston 52/125.4

OTHER PUBLICATIONS

Twin City Testing and Engineering Laboratory, Load
Test of Prestressed Concrete Plank End Lifter System,
Dec. 14, 1978.

Primary Examiner—B. J. Bullock

[57] CLAIM

The ornamental design for a combination lift insert and
weld plate for use in hollow core concrete planks, as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination lift insert
and weld plate for use in hollow core concrete planks
embodying my new design;
FIG. 2 is an end elevational view taken from the right of
FIG. 1;
FIG. 3 is an end elevational view taken from the right of
FIG. 1;
FIG. 4 is a side elevational view taken from the left of
FIG. 1;
FIG. 5 is a top plan view thereof; and
FIG. 6 is a bottom plan view thereof.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6

