

[54] CHILD'S SECURITY SEAT FOR VEHICLES

[75] Inventor: Leif Hallgren, Hyltebruck, Sweden

[73] Assignee: Hallgrens Industri AB, Hyltebruk, Sweden

[**] Term: 14 Years

[21] Appl. No.: 336,573

[22] Filed: Jan. 4, 1982

[51] Int. Cl. D6-01

[52] U.S. Cl. D6/9

[58] Field of Search D6/7, 8, 9, 47; D297/274, 276, 277, 243

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 212,215 9/1968 Brilmyer et al. D6/9
- D. 231,589 5/1974 Bloom D6/9

- D. 262,242 12/1981 Molnar D6/9
- D. 267,599 1/1983 Fator D6/9 X


Primary Examiner—Bruce W. Dunkins

[57] CLAIM

The ornamental design for a child's security seat for vehicles, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view taken from the top, front and left side of a child's security seat for vehicles according to my new design;
 FIG. 2 is a perspective view taken from the bottom, rear and right side thereof;
 FIG. 3 is a rear end elevational view thereof;
 FIG. 4 is a front elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8