

- [54] TOY CAR WITH PEDAL DRIVE
- [76] Inventors: **Heinz Kuchenbecker**, Parkstr. 17;
Hans J. L. Kuchenbecker, Parkstr. 15;
Rolf Kuchenbecker, Parkstr. 17,
all of, D-5657 Haan 2, Fed. Rep. of
Germany
- [**] Term: **14 Years**
- [21] Appl. No.: **173,663**
- [22] Filed: **Jul. 29, 1980**
- [51] Int. Cl. **D12-11**
- [52] U.S. Cl. **D12/108; D12/112;**
D21/78; D21/80
- [58] Field of Search **D12/108, 112; D21/76,**
D21/78, 80, 128; 296/177; 280/1.11 R, 281 LP,
281 W, 281 B, 282

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 215,317 9/1969 Hood D21/78
- Primary Examiner—James M. Gandy*

Attorney, Agent, or Firm—Ernest F. Marmorek

[57] **CLAIM**

The ornamental design for a toy car with pedal drive, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a toy car with pedal drive showing our new design the opposite side being a mirror image thereof;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a rear elevational view thereof;


FIG. 5 is a longitudinal central sectional view thereof taken on the line V—V of FIG. 2;


FIG. 6 is a sectional view, taken on the line VI—VI of FIG. 5;

FIG. 7 is an elevational view of the brake linkage, shown separately from the toy car for clarity of illustration; and

FIG. 8 is an elevational view of a second embodiment of the brake linkage which is to be positioned inside the body of the toy car, it being shown separately therefrom for clarity of illustration.










Fig. 3




Fig. 4




Fig. 5

Fig. 6




Fig. 7




Fig. 8