

[54] ELECTRIC FLASH UNIT

[75] Inventor: Yoshiyuki Takematsu, Tokyo, Japan

[73] Assignee: Fuji Koeko Corporation, Tokyo, Japan; a part interest

[**] Term: 14 Years

[21] Appl. No.: 323,473

[22] Filed: Nov. 20, 1981 (Under 37 CFR 1.47)

[30] Foreign Application Priority Data

May 20, 1981 [JP] Japan 56-021638
[52] U.S. Cl. D16/42
[58] Field of Search D16/42, 6, 8, 9, 10; 362/3-18, 382; 354/33

[56] References Cited

U.S. PATENT DOCUMENTS

D. 233,257 10/1974 Holtje D16/42
D. 241,273 8/1976 Okuno D16/42

D. 250,475 12/1978 Kando D16/42
D. 263,720 4/1982 Takematsu D16/42
4,078,240 3/1978 Kaneko 362/4 X
4,190,880 2/1980 Esaki 362/18
4,233,648 11/1980 Geissler 362/18 X
4,251,854 2/1981 Kaneko 362/5
4,276,579 6/1981 Yako 362/18 X
4,333,127 6/1982 Alkema 362/18 X

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fleit, Jacobson, Cohn & Price

[57] CLAIM

The ornamental design for an electric flash unit, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an electronic flash unit showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

