

[54] **HANDLE FOR A TOILET SEAT OR THE LIKE**

[76] Inventor: **Robert T. Roddick**, 522 Hill St., San Francisco, Calif. 94114

[**] Term: **14 Years**

[21] Appl. No.: **245,363**

[22] Filed: **Mar. 19, 1981**

[52] U.S. Cl. **D23/71; D23/29; D8/307**

[58] **Field of Search** **D23/69-71, D23/23-33; D8/303, 307; 4/249, 251, 253, 405, 411; D6/86**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 245,095	7/1977	Murray	D23/71
D. 263,990	4/1982	Fleischmann	D8/307 X
1,999,555	4/1935	Adams	4/251
2,236,576	4/1941	Loebner	4/251
2,758,315	8/1956	Hylton	4/251
3,191,193	6/1965	Bogenberger	4/251
3,717,884	2/1973	Mantooth	4/251 X
3,783,455	1/1974	Vanderbrook	4/251 X
3,935,601	2/1976	Hermann	4/251

4,129,907 12/1978 Vaughan et al. 4/251

Primary Examiner—James R. Largen

[57] **CLAIM**

The ornamental design for a handle for a toilet seat or the like, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a handle for a toilet seat or the like showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is an elevational view taken from the side opposite that shown in FIG. 1;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an elevational view taken from the side shown in FIG. 1;


FIG. 6 is a front elevational view of a modified form of a handle for a toilet seat or the like shown in FIG. 1;

FIG. 7 is an elevational view taken from one side of FIG. 6 the opposite side being a mirror image of the side shown;

FIG. 8 is a top plan view of FIG. 6; and

FIG. 9 is a bottom plan view of FIG. 6.

The fragmentary broken line showing of a toilet and toilet seat and toilet seat cover in FIG. 1 and FIG. 6 is for purposes of illustration only.






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9