

United States Patent [19]

Webb

[11] Des. 273,141

[45] ** Mar. 20, 1984

[54] HAIR DRYER

[75] Inventor: Anthony J. Webb, Dorset, England

[73] Assignee: F.C.F. Limited, England

[**] Term: 14 Years

[21] Appl. No.: 221,848

[22] Filed: Dec. 31, 1980

[30] Foreign Application Priority Data

Jul. 19, 1980 [GB] United Kingdom 995796

[52] U.S. Cl. D28/13

[58] Field of Search D28/9-13,
D28/15, 16, 18; 34/96-100; 132/9, 11 A;
D24/41

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|------------|--------|------------------|--------|
| D. 192,626 | 4/1962 | McIntosh | D28/12 |
| D. 197,938 | 4/1964 | Hall | D28/12 |
| D. 227,615 | 7/1973 | Chambon | D28/13 |
| D. 238,618 | 1/1976 | Nagelkerke | D28/18 |
| D. 256,504 | 8/1980 | Davis | D24/41 |

OTHER PUBLICATIONS

Housewares Review, 7/1966, p. 133-Dryer at top right.

Primary Examiner—Louis S. Zarfas
Attorney, Agent, or Firm—Pennie & Edmonds

[57] CLAIM

The ornamental design for a hair dryer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of substantially more than a quadrant of the side and back of a hair dryer showing my new design with only a portion of the extended length of a cable being illustrated for convenience; FIG. 2 is a view from the side of a hair dryer as shown in FIG. 1 with the electrical cable stowed around the grille portion of the hairdryer;

FIG. 3 is a front elevation of the hair dryer of FIG. 1; FIG. 4 is a view in elevation of the hair dryer as shown in FIG. 1 illustrating, however, a quadrant of the side of the hair dryer removed substantially 90° from the side of the hair dryer seen in FIG. 1; and

FIG. 5 is a view similar to that shown in FIG. 4 yet illustrating a quadrant of the side of the hair dryer removed substantially 180° from the side of the hair dryer seen in FIG. 1.




FIG.1.





FIG.2.




FIG. 3.

FIG. 4.




FIG. 5.

