

[54] PACKAGING CONTAINER

[75] Inventor: Hisao Ishii, Fukuoka, Japan

[73] Assignee: Tokyo Hiyoko Co., Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 312,630

[22] Filed: Oct. 19, 1981

[30] Foreign Application Priority Data

Apr. 27, 1981 [JP] Japan 56-18101

[52] U.S. Cl. D9/317; D9/416; D9/425

[58] Field of Search 229/8, 1.5 R, 2.5 R, 229/3.5 MF; D9/317, 414, 416, 424, 425; D21/160

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 89,337 2/1933 Gorton, Jr. D9/317
- D. 173,433 11/1954 Holbert D9/416 X
- D. 219,959 2/1971 Anderson D9/425
- D. 235,246 6/1975 Evans et al. D9/416

- D. 247,258 2/1978 Nakao D21/160
- 3,483,964 12/1969 Muehling et al. D9/425 X

Primary Examiner—Robert C. Spangler
Attorney, Agent, or Firm—McDougall, Hersh & Scott

[57] CLAIM

The ornamental design for a packaging container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a packaging container showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a left side elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a top plan view thereof;
 FIG. 6 is a rear elevational view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a sectional view taken on line 8—8 of FIG. 2;
 FIG. 9 is a perspective view thereof which illustrates a state that the break-off portion is folded; and
 FIG. 10 is a perspective view thereof which illustrates a state that the packing container is turned upside down and the lid is stripped from a flange portion of a container portion.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10

