

[54] ARM SLING

[76] Inventor: Myrna A. Saal, 3254 Central Ave., Spring Valley, Calif. 92077

[**] Term: 14 Years

[21] Appl. No.: 293,371

[22] Filed: Aug. 17, 1981

[52] U.S. Cl. D24/64; D24/99; 128/94

[58] Field of Search 128/94, 95; D24/64, D24/99, 49

[56] References Cited

U.S. PATENT DOCUMENTS

D. 235,929	7/1975	Thompson	D24/64
D. 267,976	2/1983	Hammer et al.	D24/64
2,306,715	12/1942	Rubinstein	128/94
3,103,216	9/1963	Scott	128/94
4,372,301	2/1983	Hubbard et al.	128/94


Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—John L. Haller

[57] CLAIM

The ornamental design for an arm sling, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an arm sling showing my new design;
 FIG. 2 is a front elevation view thereof shown with the neck strap extended;
 FIG. 3 is a frontal elevation view showing the neck strap having a one-half ($\frac{1}{2}$) twist and the closure flap shown folded open;
 FIG. 4 is a right side view of the arm sling shown in FIG. 3;
 FIG. 5 is a left side view of the arm sling shown in FIG. 3; and
 FIG. 6 is a perspective view showing the arm sling as would be worn.






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6