

[54] **COMBINED SPOT AND FLOOD LIGHT**

[76] Inventor: **Chan M. Kong**, 1st Floor, 58 Hung To Rd., Kwun Tong, Kowloon, Hong Kong

[\*\*] Term: **14 Years**

[21] Appl. No.: **266,808**

[22] Filed: **May 26, 1981**

[30] **Foreign Application Priority Data**

Feb. 20, 1981 [GB] United Kingdom ..... 999010  
[52] U.S. Cl. .... **D26/48**  
[58] Field of Search ..... D26/24, 37-50;  
362/158, 183, 184, 186-208, 258, 387

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 214,752 7/1969 Zapolski ..... D26/48  
D. 253,194 10/1979 Watley ..... D26/50  
3,439,159 4/1969 McRoskey et al. .... 362/258


*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Fay & Sharpe

[57] **CLAIM**

The ornamental design for a combined spot and flood light, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a right front perspective view of a combined spot and flood light showing my new design; FIG. 2 shows a left rear perspective view thereof; FIG. 3 is a front elevational view thereof; and, FIG. 4 is a top plan view thereof.






FIG. 1.




FIG. 2.

FIG. 3.






FIG. 4.

