

[54] MULTI PIN TERMINAL ELECTRICAL CONNECTOR RECEPTACLE

4,168,877 9/1979 Little et al. 339/91 R X

[75] Inventors: Albert Casciotti, Hershey; Robert D. Hollyday, Elizabethtown, both of Pa.

[73] Assignee: AMP Incorporated, Harrisburg, Pa.

[**] Term: 14 Years

[21] Appl. No.: 378,035

[22] Filed: May 14, 1982

[52] U.S. Cl. D13/24

[58] Field of Search D13/24; 339/91 R, 103 R, 339/126 R, 176 R, 176 M, 198 R, 198 GA, 217

[56] References Cited

U.S. PATENT DOCUMENTS

D. 194,501	2/1963	Maurer	D13/24
D. 200,645	3/1965	Schumacher	D13/24
D. 203,502	1/1966	Dell et al.	D13/24
D. 208,550	9/1967	Schumacher	D13/24
D. 216,888	3/1970	Kunkle et al.	D13/24
3,930,707	1/1976	Venaleck et al.	339/91 R X
4,125,313	11/1978	Sipp et al.	339/176 M

OTHER PUBLICATIONS

Circuit Assembly Corp. Cat. #7801 ©1976, p. 10, Dip Sockets, right angle.

Electronic Molding Corp. Product Bulletin #FS-15, 1971, PC Connector.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Russell J. Egan

[57] CLAIM

The ornamental design for multi pin terminal electrical connector receptacle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the multi pin terminal electrical connector receptacle showing our new design;


FIG. 2 is a front elevation thereof;

FIG. 3 is an end elevation thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and

FIG. 6 is a rear elevation thereof.






FIG. 2




FIG. 1




FIG. 3

