

[54] AIR FLOTATION PALETTE

[76] Inventor: Warren C. Schroeder, Gellert Suite C-603, 2400 Virginia Ave. NW., Washington, D.C. 20037

[**] Term: 14 Years

[21] Appl. No.: 256,480

[22] Filed: Apr. 22, 1981

[52] U.S. Cl. D34/38

[58] Field of Search D34/38; D12/5; 108/51.1, 51.3, 53.1; 180/124, 125, 126, 129

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|----------------|-------|----------|
| D. 263,389 | 3/1982 | Nordstrom | | D34/38 |
| 3,513,934 | 5/1970 | Crowley | | 180/125 |
| 3,628,468 | 12/1971 | Angelbeck, Jr. | | 108/53.1 |
| 3,981,546 | 9/1976 | Sperman | | 180/125 |


Primary Examiner—James M. Gandy

[57] CLAIM

The ornamental design for an air flotation palette, as shown.

DESCRIPTION

FIG. 1 is a top plan view of an air flotation pallet showing my new design;
 FIG. 2 is a side elevational view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a right end elevational view thereof;
 FIG. 5 is an enlarged fragmentary sectional view taken along the line 5—5 in FIG. 3;
 FIG. 6 is an enlarged fragmentary sectional view taken along the line 6—6 in FIG. 1;
 FIG. 7 is an enlarged fragmentary sectional view taken along line 7—7 in FIG. 1;
 FIG. 8 is a fragmentary sectional top plan view taken along line 8—8 in FIG. 7;
 FIG. 9 is an enlarged fragmentary sectional view taken along line 9—9 in FIG. 1; and
 FIG. 10 is a side elevational view with portions in section of the air input coupling thereof looking in the direction of the arrows 10—10 in FIG. 9.
 The ornamental design for an air flotation palette having removeable handles, breakway air coupling and palette seal for effortless moving of heavy palette loads over irregular surfaces as shown and described.






FIG. 1



FIG. 4




FIG. 2




FIG. 3



FIG. 6



FIG. 5




FIG. 8




FIG. 7




FIG. 9




FIG. 10