# United States Patent [19]

Lacina

Â.

- **WORK PIECE PROTECTING PAD FOR USE** [54] ON A BAR CLAMP, OR SIMILAR ARTICLE
- Erciel F. Lacina, 17645 Arrow Blvd., [76] Inventor: Fontana, Calif. 92335
- 14 Years [\*\*] Term:
- Appl. No.: 340,745 [21]
- Jan. 19, 1982 Filed: [22]
- [52] U.S. Cl. **D8/72**

for use on a bar clamp, or similar article, substantially as shown and described.

[11]

[45]

Des. 274,034

**\*\*** May 29, 1984

### DESCRIPTION

FIG. 1 is an isometric view of a first embodiment of a work piece protecting pad for use on a bar clamp, or similar article, showing my new design. FIG. 2 is a front elevational view of FIG. 1, drawn to a reduced scale.

[58]

### **References Cited** [56] U.S. PATENT DOCUMENTS

D. 193,736	10/1962	Yandt D8/72
2,519,107	8/1950	Brown 269/275
4,052,046	10/1977	Mortoly 269/285 X

### **OTHER PUBLICATIONS**

Adjustable Clamp Co. Condensed Catalog, No. L-20, p. 3, "Pony" Bar Clamp Pads at lower left of page.

**Primary Examiner**—Alan P. Douglas Attorney, Agent, or Firm-John H. Crowe

#### [57] CLAIM

The ornamental design for a work piece protecting pad

FIG. 3 is a top plan view of FIG. 2. FIG. 4 is a bottom plan view of FIG. 2. FIG. 5 is a rear elevational view of FIG. 2. FIG. 6 is a side elevational view of FIG. 2, the opposite side elevational view being a mirror image thereof. FIG. 7 is an isometric view of a second embodiment of the work piece protecting pad for use on a bar clamp, or similar article. FIG. 8 is a front elevational view of FIG. 7, drawn to a reduced scale. FIG. 9 is a top plan view of FIG. 8. FIG. 10 is a bottom plan view of FIG. 8. FIG. 11 is a side elevational view of FIG. 8, the opposite side elevational view being a mirror image thereof.

FIG. 12 is a rear elevational view of FIG. 8.







•

.

## U.S. Patent

۰. ۰ . . . . . . .



## May 29, 1984 Sheet 1 of 2 Des. 274,034

FIG. 3

· · ·



F1G. 2

2

- · ·

. . .





1

**EIC** 5





### F10. J

F1G.6

.

. .

. .

#### U.S. Patent Des. 274,034 May 29, 1984 Sheet 2 of 2

.

· .

.

.

•

•

•

.

.

. .

.











## FIG. 12 . -

-

·

• • . •

111,



- 1

F/G. //