

[54] **ATTITUDE DIRECTOR INDICATOR**

[75] Inventors: **Donald F. Schmidt**, Cedar Rapids, Iowa; **Siegfried Knemeyer, deceased**, late of Yellow Springs, Ohio, by Doris R. Knemeyer, administrator

[73] Assignee: **Rockwell International Corporation**, El Segundo, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **343,069**

[22] Filed: **Jan. 27, 1982**

[52] U.S. Cl. **D10/74**

[58] Field of Search D10/67, 74; 340/27 AT; 33/320, 322, 328, 329; 116/281, 290, 291, 299, DIG. 43; 73/178 R, 178 H

3,525,159 8/1970 Mills 33/328
 3,967,236 6/1976 Dietrich 340/27 AT
 4,044,975 8/1977 Blechen 340/27 AT X
 4,138,661 2/1979 McAdams 340/27 AT

FOREIGN PATENT DOCUMENTS

1094398 12/1954 France 33/328
 1335741 7/1963 France 33/329
 580671 8/1958 Italy 33/328

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Terry M. Blackwood; George A. Montanye; H. Fredrick Hamann

[57] **CLAIM**


The ornamental design for an attitude director indicator, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an attitude director indicator showing our new design;
 FIG. 2 is a typical side elevational view thereof, the broken-line showing of the instrument housing being environmental and forming no part of the claimed design.
 The drawing is lined to indicate contrasting colors. The rear of the indicator not shown, is substantially plain and unornamented.

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 179,443 12/1956 Dayton D10/67
 D. 194,191 12/1962 Schweighofer D10/74
 D. 205,791 9/1966 Harding D10/74
 D. 237,594 11/1975 Vetter D10/67
 D. 256,678 9/1980 Schmidt D10/67
 2,027,808 1/1936 Carlson D10/67 X
 2,821,695 1/1958 Strock 340/27 AT






FIG. 1




FIG. 2