

[54] COMBINED SPEAKER HOUSING AND LIGHT DISPLAY

4,040,520 8/1977 Joaquin D6/85
4,142,604 3/1979 Smith D14/34
4,249,037 2/1981 Dexter 179/1 E X

[76] Inventor: Fritz Myer, 135 Park Pl., Battle Creek, Mich. 49015

Primary Examiner—Jane E. Corrigan
Attorney, Agent, or Firm—Samuel Kurlandsky

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 294,727

The ornamental design for a combined speaker housing and light display, substantially as shown and described.

[22] Filed: Aug. 20, 1981

[52] U.S. Cl. D14/33; D26/52

DESCRIPTION

[58] Field of Search D14/1, 30, 32-34, D14/37, 39; D6/85, 145; 179/1 E; D26/52, 58

FIG. 1 is a front and right side perspective view of a combined speaker housing and light display, showing my new design;

[56] References Cited

U.S. PATENT DOCUMENTS


D. 246,146 10/1977 Han D6/145
D. 262,793 1/1982 Hathaway et al. D14/34 X

FIG. 2 is a front elevational view,

FIG. 3 is a right side elevational view,

FIG. 4 is a rear elevational view; and

FIG. 5 is a top plan view.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5