

[54] TRAVELLING CARRIER FOR HEATING ELEMENTS IN A PAINT SPRAY BOOTH

[75] Inventors: Hans E. Nilsson, Henan; Åke Carlsson, Trollhättan, both of Sweden

[73] Assignee: Infrarodteknik AB, Vanersborg, Sweden

[\*\*] Term: 14 Years

[21] Appl. No.: 326,404

[22] Filed: Dec. 2, 1981

[52] U.S. Cl. .... D23/77

[58] Field of Search ..... D23/72, 77; 34/243; D32/1, 4; D15/144, 199; 34/4; 219/342, 348, 350, 352, 354

[56] References Cited

U.S. PATENT DOCUMENTS

2,057,776	10/1936	Groven	219/348
2,317,426	4/1943	Wilson	.
2,387,516	10/1945	Kaminski	.
2,688,068	4/1954	Marr	219/350
2,708,707	5/1955	Merrill et al.	219/354 X
2,761,948	9/1956	Todd	219/354 X
2,841,684	7/1958	Miskella	.
3,016,442	1/1962	Brach	.

FOREIGN PATENT DOCUMENTS

450617	7/1936	United Kingdom	.
813101	5/1959	United Kingdom	.
976823	12/1964	United Kingdom	.
1110000	4/1968	United Kingdom	.
1349663	4/1974	United Kingdom	.
1409996	10/1975	United Kingdom	.
544838	3/1977	U.S.S.R.	34/4
591670	2/1978	U.S.S.R.	34/4

Primary Examiner—Catherine E. Kemper  
Attorney, Agent, or Firm—Dann, Dorfman, Herrell and Skillman

[57] CLAIM

The ornamental design for a travelling carrier for heating elements in a paint spray booth, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a travelling carrier for heating elements in a paint spray booth, showing our new design;  
FIG. 2 is a left side elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a rear elevational view thereof; and  
FIG. 7 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3







FIG. 4






**FIG. 5**



**FIG. 6**



**FIG. 7**