

[54] EXPLOSION-PROOF BOX FOR
ELECTRICAL COMPONENTS

[75] Inventor: Denver K. Kimberlin, Pauls Valley,
Okla.

[73] Assignee: Engineering Enterprises, Inc.,
Norman, Okla.

[**] Term: 14 Years

[21] Appl. No.: 352,576

[22] Filed: Feb. 26, 1982

[52] U.S. Cl. D13/40

[58] Field of Search D13/40, 12, 32, 35,
D13/38, 41; 361/331, 332, 334, 335, 338, 346,
356-358, 379, 380-384, 399; 174/50, 52 R, 52
PE

[56] References Cited

U.S. PATENT DOCUMENTS

1,869,646 8/1932 Anderson 174/50

2,050,854 8/1936 Olley 174/50
2,835,722 5/1958 Appleton 174/50
3,853,291 12/1974 Burke 174/50
4,063,110 12/1977 Glick 361/357
4,213,018 7/1980 Piston 174/50


Primary Examiner—Wallace R. Burke
Assistant Examiner—Lynn Wilder
Attorney, Agent, or Firm—William R. Laney




[57] CLAIM

The ornamental design for an explosion-proof box for
electrical components, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the explosion-proof
box for electrical components showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a left-side elevational view thereof;
FIG. 5 is a right-side elevational view thereof; and
FIG. 6 is a bottom plan view thereof.








FIG. 4




FIG. 5




FIG. 6