

[54] **ATTITUDE DIRECTOR INDICATOR**

[75] Inventors: **Donald F. Schmidt**, Cedar Rapids, Iowa; **Siegfried Knemeyer**, deceased, late of Yellow Springs, Ohio, by Doris R. Knemeyer, commissioner

[73] Assignee: **Rockwell International Corporation**, El Segundo, Calif.

[\*\*] Term: **14 Years**

[21] Appl. No.: **343,071**

[22] Filed: **Jan. 27, 1982**

[52] U.S. Cl. .... **D10/74**

[58] Field of Search ..... **D10/67, 74; 340/27 AT; 73/178 R, 178 H; 116/281, 290, 291, 299, DIG. 43; 33/320, 322, 328, 329**

2,821,695 1/1958 Strock ..... 340/27 AT  
 3,525,159 8/1970 Mills ..... 33/328  
 3,967,236 6/1976 Dietrich ..... 340/27 AT  
 4,326,189 4/1982 Crane ..... 116/DIG. 43 X

**FOREIGN PATENT DOCUMENTS**

1094398 12/1954 France ..... 33/328  
 1335741 7/1963 France ..... 33/329  
 580671 8/1954 Italy ..... 33/328

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Terry M. Blackwood;  
 George A. Montanye; H. Fredrick Hamann

[57] **CLAIM**

The ornamental design for an attitude director indicator, as shown and described.


**DESCRIPTION**

FIG. 1 is a front elevational view of an attitude director indicator showing our new design;  
 FIG. 2 is a typical side elevational view thereof, the broken-line showing of the instrument housing being environmental and forming no part of the claimed design.  
 The drawing is lined to indicate contrasting colors. The rear of the indicator not shown, is substantially plain and unornamented.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 170,183 8/1953 Collins ..... D10/67 X  
 D. 179,443 12/1956 Dayton ..... D10/67 X  
 D. 180,812 8/1957 Schwieghofer ..... D10/67 X  
 D. 190,763 6/1961 Varner ..... D10/74  
 D. 190,968 7/1961 Andres ..... D10/67 X  
 D. 205,791 9/1966 Harding ..... D10/74  
 D. 256,678 9/1980 Schmidt ..... D10/67






FIG. 1




FIG. 2